





HERITAGE

F.A.B.[®] (formally known as FAB Defense[®]) is a family owned business founded in 1969 and operated by veterans and active soldiers from a variety of military units. The small workshop developed over the years into a modern manufacturing facility, with all the advanced technologies, needed to design, manufacture and assemble the highest quality tactical equipment and weapons accessories for the State of Israel's Military and Police.

PROVEN

F.A.B.[®] R&D works in collaboration with Special Forces and SWAT teams worldwide to design creative, ability enhancing solutions for the ongoing dynamic challenges met in the field. F.A.B.[®] products are the choice of professionals in more than 25 countries worldwide and have been battle tested in the harshest environments on the globe.

AGILE

F.A.B.[®] continues to lead from the front with state-of-the-art engineering, manufacturing, and rigid quality assurance methods all under one roof. This allows us to react quickly to both professional user requirements and the ever-changing commercial markets around the world.

PROGRESSIVE

F.A.B.[®] keeps a finger on the pulse. We're constantly pushing the boundaries on ergonomics and tactical efficiencies that optimize safety and operational readiness for our customers. In 2020, we are announcing an update to our brand that we feel reflects the unmistakable passion we have for our mission:

DELIVER OPTIMAL SOLUTIONS THAT SURPASS EVERY NEED

©2021 FAB Manufacturing & Import of Industrial Equipment Ltd. All Rights Reserved.

F.A.B.[®], FAB Defense[®] and Scorpus[®] are registered trademarks of FAB Manufacturing & Import of Industrial Equipment Ltd. Israel.

September 2021 | Design: Maya Durban (umami.co.il) | Photography: Arkadi Raskin (www.arkadiraskin.com), The Third Bull & Co (www.thirdbull.com) | Additional Photography: Polenar Tactical[®] (p. 55, 59), Tom Weber (p. 4, 40), Edward Osborne (p. 9), Binyamin Levin & Ohad Spitzer (p. 6, 45), Shane Durrance Productions (p. 10, 21)

KPOS HANDGUN
CONVERSION KIT

p. 6-8

BUTTSTOCK
SYSTEMS

p. 9-20

GRIPS &
BIPODS

p. 21-33

RAIL
SYSTEMS

p. 34-41

FLASHLIGHTS
& MOUNTS

p. 42-44

MAGAZINES &
ACCESSORIES

p. 45-51

PARTS &
UPGRADES

p. 52-54

SELF DEFENSE,
TRAINING & SAFETY

p. 55-56

SCORPUS®
HOLSTERS

p. 57-65

SHOOTING
PLATFORMS

p. 66-68


SPECIAL ORDER
PRODUCTS

p. 69-71

M16/M4/AR15



AK-47/AK-74/AKM



KPOS SCOUT



MOSSBERG 500






M16/M4/AR15




KPOS G2



AK-47/AK-74/AKM



SVD




SA VZ.58



RUGER 10/22



H&K MP5



REMINGTON 870



H&K G3



GALIL



TAVOR TAR 21



GLOCK



KPOS

A man in tactical gear, including a light-colored short-sleeved shirt, dark pants, sunglasses, and a watch, is holding a rifle. He is standing in front of a blue metal wall with graffiti. The text "KPOS" is in the top right corner, and "KPOS PISTOL CONVERSION KIT" is overlaid in the center.

KPOS PISTOL CONVERSION KIT



KPOS SCOUT

The KPOS Scout Handgun Conversion Kit

New hybrid design, aluminum & polymer for a lightweight & compact system // Quick and easy installation requires no tools or handgun modification // Snap locking mechanism- single button for quick, easy and secure assembly // Ambidextrous M4 style charging handle // Full length 1913 MIL-STD Picatinny rail upper, short polymer lower rail and two removable side rails // Vertical foregrip folds to horizontal position and incorporates an extendable trigger guard // Folding buttstock with high traction rubber butt-pad // Solid milled upper, made of 6061 T6 hard anodized Aluminum // Reinforced polymer lower and buttstock / brace // Compatibility: Glock models 17, 19, 19X, 22, 23, 25, 31, 32, 45 / GEN 3 - 5 including 'C' Models, without a backstrap grip add-on

Competitive pricing
Limited Lifetime Warranty



KPOS SCOUT

FGG-KPOS Folding foregrip & trigger cover // SLS QD sling swivel
// Bungee, one point tactical sling



KPOS SCOUT ADVANCED

FGG-KPOS Folding foregrip & trigger cover // SLS QD sling swivel
// Bungee, one point tactical sling // Set of polymer backup sights FBS & RBS // KPOS Scout backpack



Weight 690 gr Width 60 mm Height 170 mm Length 540 mm Buttstock Folded: Width 73 mm Length 324 mm



KPOS G2 Classic

KPOS G2

2nd Generation Handgun Conversion Kit

Solid milled frame, made of 6061 T6 hard anodized aluminum // Built-in AR15 style charging/cocking mechanism for ambidextrous and comfortable use // Folding slim-profile stock with a rubber butt-pad makes it comfortable yet easy to conceal // Height adjustable stock for perfect use with various mounted sights // Removable flash hider for silencer/suppressor, assembles with only one bolt // May assemble in hands, free standing, and does not require lying down on a table // Full length 1913 MIL-STD picatinny upper rail, side rails & lower rail // All system parts are one with the frame – no risk of loss // Highly ventilated frame for appropriate heat dissipation for use with compensator models // Provided with the F-GGK Trigger Guard Foregrip, enhances weapon safety by securing “loaded chamber” carry // Available in four buttstock configurations: Classic, Delta, Collapsible and Pathfinder // The Pathfinder model in its original configuration does not require an SBR tax stamp, adding a forward grip or buttstock would change the classification of this item! // Incorporates a Limited Lifetime Warranty // Compatibility: Glock Gen 3,4,5 including 'C' Models : 17, 18, 19, 20, 20SF, 21, 21SF, 22, 23, 25, 29, 30, 31, 32, 34, 35, 37, 38 // IWI or IMI Jericho; 941-F, 941-FS, 941-R, 941-PL, 941-PSL, and metal non-railed versions // FN Herstal: 5.7 // SIG SAUER; P226 (railed version and classic frame), SP2022, P320 (To be released Q3 2018) // CZ (Česká zbrojovka): 75 P-07 DUTY, P-07, P-09 // Springfield XD / XD(M) in 9mm or .40SW // Beretta Px4

No gunsmith required



KPOS G2 Delta



KPOS G2 Collapsible



KPOS G2 Pathfinder

Weight 1015 gr **Width** 59 mm **Height** 146 mm **Length** 598 mm **Buttstock Folded: Width** 46 mm **Length** 370 mm

BUTTSTOCKS

BUTTSTOCKS



RAPS C

NEW FOR 2021

Rapid Adjustment Precision Stock - Carbine

Integrated Cheek Rest & adjustable Length Of Pull (LOP) // Patent-pending 1 Latch system, locks both LOP and Cheek Rest height with one lever; can be configured for right or left-hand shooters // LOP memory feature; set it once and the adjustable butt-pad will spring out to the same length every time // LOP Adjustment Range extension: 32mm (1.26") // Integrated Cheek Rest, adjustment range; 42mm (1.65") // Concealed Picatinny rail at the bottom of the stock for use with a monopod // Heavy-duty, rubber butt-pad with height adjustment // The RAPS-C includes a retention bolt, for determining optimal fit on MIL-Spec or Commercial-Spec Carbine buffer tubes



No gunsmith required

Weight 584 gr Width 42 mm Height 152 mm Length 203 mm Deployed: Height 194 mm Length 235 mm

RAPS

Rapid Adjustable Precision Stock

Integrated Cheek Rest & adjustable Length Of Pull (LOP) // Patent-pending 1Latch™ system, locks both LOP and Cheek Rest height with one lever // 1Latch™ system, can be configured for right or left-hand shooters // New LOP memory feature, set it once and the adjustable butt-pad will spring out to the same length every time // LOP Adjustment Range: 32mm (1.26") // Adjustable LOP, on AR10 from 378mm to 410mm (14.8"-16.14") // Integrated Cheek Rest, adjustment range; 42mm (1.65") // Concealed picatinny rail at the bottom of the stock for use with a monopod // Heavy duty, rubber butt-pad with height adjustment // The RAPS includes one pre-installed adapter for rifle-length receiver extension tube, and two additional adapters for MIL-SPEC Carabine tubes (one for M4 type receivers and one universal)



No gunsmith required

Weight 620 gr Width 42 mm Height 152 mm Length 277 mm Deployed: Height 194 mm Length 309 mm

BUTTSTOCKS



GL-CORE

Buttstock For The AR15/M16/M4 Platforms

Ergonomically shaped rubberized butt-pad for quick shouldering and easy maneuvering of the weapon // Interchangeable buffer tube adapters for a tight fit on Mil-Spec and Commercial buffer tubes // Integrated cheek rest in an overall compact and sleek design // No protruding parts, will not get caught on gear or webbing // Inversed positioning lever will not open accidentally // Two integrated Quick Detach (QD) rear sling swivel connectors // Made of durable and light-weight fiberglass reinforced polymer composite



Weight 271 gr Width 52 mm Height 131 mm Length 180 mm



GL-CORE S

The GL-Core S was specifically designed for one of the best Israeli Counter-Terrorism units, to be used as a primary buttstock. The design process started with the GL-Core buttstock, and implemented all the design changes that were requested to create a buttstock that will be short and compact for CQB scenarios but will still provide strength and stability for mid-range engagements.



Small and compact allowing for easy maneuverability during CQB // Flat faced rubberized butt-pad designed for use with and without tactical body armor // Interchangeable buffer tube adapters for a tight fit on Mil-Spec and Commercial buffer tubes // Integrated cheek weld optimized for the M4/AR15 platforms // No protruding parts, will not get caught on gear or webbing // Inversed positioning lever will not open accidentally // Two integrated quick detach rear sling swivel connectors // Made of durable and light-weight fiberglass reinforced polymer composite

Weight 210 gr Width 51 mm Height 109 mm Length 165 mm

GL-Core M **NEW FOR 2021**

Carbine Buttstock With
'Built-In' Mag Carrier
Mil-Spec or Com-Spec
buffer tubes

Tactical buttstock with integrated AR 5.56 magazine carrier // Optimized for a rapid magazine change // Multi textured rubber butt-pad for a secure shouldering during rapid fire // Interchangeable buffer tube adapters for a tight fit on Mil-Spec and Commercial buffer tubes // Integrated cheek weld optimized for the M4/AR15 platforms // Provided with one Ultimag 10 round AR magazine // Includes ambidextrous quick detach rear sling swivel connectors



Weight 271 gr Width 52 mm Height 124 mm Length 180 mm



BUTTSTOCKS



GLR-16

M4/AR15 Tactical Collapsible Buttstock

High traction butt-pad design, for fast and stable shouldering, even with body armor // Ambidextrous Quick Detach swivel rear sling connectors // Watertight battery storage for two CR123 3v lithium / AA 1.5v batteries // Maintains contour and size of original M4 buttstock design // Unique patented "anti-rattle" mechanism allows fit on both Mil-Spec and Commercial buffer tubes

Upgrade options: cheek rest, picatinny cheek rest

Weight 276 gr **Width** 48 mm **Height** 130 mm **Length** 180 mm



GL-SHOCK

M4/AR15 Shock Absorbing Collapsible Buttstock

Contains a silicon chrome alloy spring based shock-absorbing mechanism // Slick and easily operated inversed positioning lever, will not get caught on gear or webbing // Two integrated Quick Detach (QD) rear sling swivel connectors // Integral replaceable non-slip design ribbed rubber butt-pad // Watertight battery storage for two CR123 3v lithium / AA 1.5v batteries // Unique patented "anti-rattle" mechanism allows fit on both Mil-Spec and Commercial buffer tubes

Upgrade options: cheek rest, picatinny cheek rest, ARP, SRP, MBA

Weight 308 gr **Width** 43 mm **Height** 130 mm **Length** 180 mm



COBRA

New Folding Tactical Stock For Glock Handguns

Quick installation, attaches instantly // No handgun modification required // Rapid deployment mechanism; extends easily from the folded position into a full length deployed buttstock // Integrated Cheek Rest // High traction rubber butt-pad // Can be used with the Scorpis OWB holsters when in the folded position // Replaceable adapters, one Cobra model will fit both G17 & G19 frames in GEN 2-5 // Durable and light weight fiberglass reinforced polymer construction // Compatibility: The Cobra stock will fit all of the following Glock models 17, 19, 19X, 22, 23, 24, 25, 31, 32, 34, 35, 45 / GEN 2 - 5



Weight 328 gr **Width** 42 mm **Width Extended** 41 mm **Height** 140 mm **Height Extended** 153 mm **Length Folded** 240 mm **Length Extended** 332 mm

SHOTGUN TACTICAL BUTTSTOCK SYSTEMS

Mossberg 500 & Remington 870 Tactical Buttstocks

Ultra-rugged design // Slightly Angled to Counter Recoil // Improved performance in reaction, on target time and muzzle control when firing // Pistol grip provides storage compartment for batteries or cleaning kit // Available in a folding or non-folding versions // Folding versions opens by a simple pulling motion and locks firmly into place // Left-folding mechanism by default // Made from durable and lightweight fiberglass reinforced polymer // M4 & M4 SB models can be upgraded to our GL-Shock or GL-Core buttstocks // Compatibility: Remington 870 - 12 gauge models Mossberg 500/590 Maverick 88 - 12 gauge models

No gunsmith required

UAS

Integrated adjustable cheek rest with 5 height levels // Tough and robust build in a slim and low profile design // Rubber butt-pad enhances shoulder-position stability and reduces perceived recoil // Permits appropriate trigger access when in folded position // Two integrated Quick Detach (QD) rear sling swivel connectors for the SLS sling attachment



M4

M4 Style aluminum buffer tube (6061 hard anodized aluminum) with our GLR-16 buttstock, with optional cheek rest // Allows the shooter to adjust the LOP according to personal preferences and the current tactical condition



M4 SB

M4 Style aluminum buffer tube with a shock absorbing mechanism and our GLR-16 buttstock, with optional cheek rest // Highly effective recoil reduction system based on a premium silicon chrome alloy spring // Allows for quick follow up shoots and a more pleasant shooting experience // **Important Notice:** When using the Shock Absorbing Buttstock System, it is strictly prohibited to place any body parts on top or above the exposed part of the shock absorbing tube (with an emphasis on the shooter's cheek)



AK/AKM/VZ TACTICAL BUTTSTOCK SYSTEMS

Tactical Buttstocks For Eastern Bloc Firearms

Ultra-rugged design // Upgrade your rifle into a modern side folding platform // Opens by a simple pulling motion and locks firmly into place // Left-folding mechanism by default // Durable and lightweight fiberglass reinforced polymer and aluminum construction // M4 & M4 SB models can be upgraded to our GL-Shock or GL-Core buttstocks // Our various models are compatible with most of the following firearms: AK-47 (milled receiver), AKM & AK-74 (stamped receiver) variants, AKMS (under-fold, stamped receiver) variants, AKS-74U (Krinkov) variants, VZ.58 variants, Saiga folding stock variants, Galil and Short Galil models, Zastava (Yugo) M70 B1, B3 / M77 B1 Models (not compatible with the Serbian Zastava M70 N-PAP model), VEPR: 12/7.62

No gunsmith required

UAS



Integrated adjustable cheek rest with 5 height levels // Tough and robust build in a slim and low profile design // Rubber butt pad enhances shoulder-position stability and reduces perceived recoil // Permits appropriate trigger access when in folded position // Two integrated Quick Detach (QD) rear sling swivel connectors for the SLS sling attachment



M4



M4 Style aluminum buffer tube (6061 hard anodized aluminum) with our GLR-16 buttstock, with optional cheek rest // Allows the shooter to adjust the LOP according to personal preferences and the current tactical condition



M4 SB



M4 Style aluminum buffer tube with a shock absorbing mechanism and our GLR-16 buttstock, with optional cheek rest // Highly effective recoil reduction system based on a premium silicon chrome alloy spring // Allows for quick follow up shoots and a more pleasant shooting experience // **Important Notice:** When using the Shock Absorbing Buttstock System, it is strictly prohibited to place any body parts on top or above the exposed part of the shock absorbing tube (with an emphasis on the shooter's cheek)



RUGER 10/22 TACTICAL SPORT STOCKS

UAS R10/22



Built-in adjustable cheek-rest with 5 height options // Side folding buttstock (left folding by default) for compact carry and storage // Ergonomic design prevents wrist fatigue and improves trigger operation // Durable and lightweight fiberglass reinforced polymer construction // Compatibility: Standard, bull barreled or silenced Ruger® 10/22® rifles

1913 MIL-STD Picatinny side and lower rails

Weight 1024 gr **Width** 64 mm (**Folded:** 85 mm) **Height** 147 mm **Length** 735 mm (**Folded:** 490 mm) **LOP** 354 mm

M4 R10/22



Collapsible buttstock system with 5 length options // Side folding buttstock (left folding by default) for compact carry and storage // Ergonomic design prevents wrist fatigue and improves trigger operation // Durable and lightweight fiberglass reinforced polymer construction // Compatibility: Standard, bull barreled or silenced Ruger® 10/22® rifles

1913 MIL-STD Picatinny side and lower rails

Weight 1063 gr **Width** 64 mm (**Folded:** 100 mm) **Height** 147 mm **Length** 780 mm (**Folded:** 490 mm) **LOP Min** 333 mm **LOP Max** 405 mm

UAS PRO R10/22



Built-in adjustable cheek-rest with 5 height options // Side folding buttstock (left folding by default) for compact carry and storage // Ergonomic design prevents wrist fatigue and improves trigger operation // Durable and lightweight fiberglass reinforced polymer construction // Compatibility: Standard Ruger® 10/22® rifles

1913 MIL-STD Picatinny side and lower rails

1913 MIL-STD Full length milled aluminum upper rail

Weight 1157 gr **Width** 64 mm (**Folded:** 85 mm) **Height** 170 mm **Length** 735 mm (**Folded:** 490 mm) **LOP** 354 mm

M4 PRO R10/22



Collapsible buttstock system with 5 length options // Side folding buttstock (left folding by default) for compact carry and storage // Ergonomic design prevents wrist fatigue and improves trigger operation // Durable and lightweight fiberglass reinforced polymer construction // Compatibility: Standard Ruger® 10/22® rifles

1913 MIL-STD Picatinny side and lower rails

1913 MIL-STD Full length milled aluminum upper rail

Weight 1196 gr **Width** 64 mm (**Folded:** 100 mm) **Height** 170 mm **Length** 780 mm (**Folded:** 490 mm) **LOP Min** 333 mm **LOP Max** 405 mm

SKS CHASSIS SYSTEMS



Push-button side folding mechanism and spring based locking in folded position // Integrated enhanced magazine release lever // Durable and lightweight fiberglass reinforced polymer construction // Large ergonomic pistol grip and forward grip for enhanced shooting experience // Three buttstock options, M4 collapsible, Shock Absorbing or UAS

M4 SB SKS



Weight 1360 gr Width 45 mm Height 190 mm Length 848 mm LOP Min 363 mm LOP Max 405 mm

UAS SKS



Weight 1160 gr Width 45 mm Height 190 mm Length 855 mm LOP 360 mm

M4 SKS



Weight 1200 gr Width 45 mm Height 190 mm Length 825 mm LOP Min 340 mm LOP Max 405 mm

SVD

Combined Buttstock Systems For The Dragunov Sniper Rifle



Durable and lightweight fiberglass reinforced polymer and aluminum construction // Rubber buttpad enhances stability and reduces recoil // Improved maneuverability, target acquisition, on target time and muzzle control // Right-folding mechanism by default, can be preordered in left-folding configuration // Quick and easy installation with two screws (provided) // Non-slip finger grooves and backstrap shape improves trigger operation // Integral storage compartment for batteries or cleaning kit in the grip // Two integrated Quick Detach (QD) rear sling swivel connectors for the SLS sling attachment // Compatibility: Dragunov Sniper Rifle (SVD)

No gunsmith required



M4

M4 SVD, with our GLR-16 buttstock

Weight 745 gr **Width** 49 mm
LOP Min 340 mm **LOP Max** 415 mm



M4 SB

M4 SVD SB, with our recoil reducing buffer tube and the GLR-16 buttstock

Weight 873 gr **Width** 49 mm
LOP Min 363 mm **LOP Max** 416 mm



UAS SVD

UAS-SVD, with our UAS buttstock for a slim design with integrated cheek rest

Weight 689 gr **Width** 49 mm
LOP 340 mm

RBT-K47 FK

Reinforced Polymer Stamped AK Buttstock System



8 positions, non-folding tube for optimal adjustment of the desired Length Of Pull // Bolt on design for tight and easy fit on stamped receiver AK // Constructed from durable & light weight fiberglass reinforced polymer composite // Comes by default with the GLR-16 buttstock, can be upgraded upon request // Compatibility: Most stamped receiver AK-47/AKM/AK-74 variants

No gunsmith required

Weight 420 gr **Width** 48 mm **Height** 131 mm **Length** 195 mm

SBT-K47 FK / SBT-V58 FK

Recoil Reducing Reinforced Polymer Buttstock Systems



Recoil reducing 8 positions, non-folding tube for optimal adjustment of the desired Length Of Pull // Bolt on design for tight and easy fit // Constructed from durable & light weight fiberglass reinforced polymer composite // Comes by default with the GLR-16 buttstock, can be upgraded upon request // Compatibility: SBT-K47 FK – Most stamped receiver AK-47/AKM/AK-74 variants // SBT- V58 FK – Most VZ.58 variants // **Warning:** It is strictly prohibited to place any body parts on top or above the exposed part of the shock absorbing tube

No gunsmith required

SBT-K47 FK Weight 426gr **Width** 48mm **Height** 130mm **Length** 195mm
SBT-V58 FK Weight 424gr **Width** 48mm **Height** 131mm **Length** 200mm

BUTTSTOCKS

GCP

Adjustable
Cheek Rest
Kit For GLR-16



No gunsmith required

Weight 94 gr Width 66 mm Height 133 mm Length 134 mm
Open/Deployed: Height 163 mm

GPCP

Cheek Rest Kit
With Built In
Dual Picatinny
Rails For GLR-16



No gunsmith required

Weight 115 gr Width 66 mm Height 133 mm Length 134 mm
Open/Deployed: Height 163 mm

GSCP

Adjustable
Cheek Rest Kit
For GL-Shock



No gunsmith required

Weight 95 gr Width 66 mm Height 133 mm Length 134 mm
Open/Deployed: Height 163 mm

GSPCP

Cheek Rest Kit
With Dual
Picatinny Rails
For GL-Shock



No gunsmith required

Weight 117 gr Width 66 mm Height 133 mm Length 134 mm
Open/Deployed: Height 163 mm

M4-G3 FK

Collapsible Buttstock
System For H&K G3



Upgrade options: cheek rest, picatinny cheek rest

Weight 494 gr Width 45 mm Height 150 mm Length 240 mm

M4-FAL FK

Collapsible Buttstock
System For FN FAL



Compatibility: FN FAL Metric based variants

Upgrade options: cheek rest, picatinny cheek rest

Weight 516 gr Width 45 mm Height 150 mm Length 265 mm

M4-MP5 FK

Collapsible Folding Buttstock For MP5



Weight 529 gr Width 47 mm Height 130 mm Length 253 mm

UAS-MP5

Tactical Folding Buttstock For MP5



Weight 452 gr Width 30 mm Height 125 mm Length 250 mm

BUTTSTOCKS



ARS Helmet Visor Stock

Available for: MP5, MP5K, MP7 and KPOS G2

■ **Weight** 249 gr **Width** 30 mm **Height** 130 mm **Length** 175 mm



SRP Rubberized Sniper Butt-Pad

Compatibility:
GL-Shock, GL-MAG, GK-MAG

■ **Weight** 89 gr **Width** 43 mm
Height 131 mm **Length** 40 mm



ARP Rubberized Assault Butt-Pad

Compatibility:
GL-Shock, GL-MAG, GK-MAG

■ **Weight** 81 gr **Width** 43 mm
Height 131 mm **Length** 27 mm



MBA Mono-Pod Buttstock Add-On

Compatibility: GL-Shock, GL-MAG, GK-MAG

■ ■ ■ **Weight** 216 gr **Width** 42 mm **Height** 133 mm **Length** 29 mm



RBT-K47 Reinforced Polymer AK-47 Buffer Tube

No gunsmith required

■ **Weight** 145 gr **Diameter** 29 **Width** 34 mm **Height** 42mm **Length** 209 mm



GCCP Cheek Rest For The GL-Core

No gunsmith required

■ ■ ■ **Weight** 128 gr **Width** 55 mm **Height** 23 mm **Length** 143 mm
Open/Deployed: Height 40 mm



SBT-K47 Recoil Reducing AK-47 Buffer Tube

No gunsmith required

■ **Weight** 157 gr **Width** 34 mm **Height** 43 mm **Length** 208 mm



SBT-V58 Recoil Reducing VZ. 58 Buffer Tube

No gunsmith required

■ **Weight** 149 gr **Diameter** 29 **Width** 48 mm **Height** 44 mm **Length** 224 mm

GRIPS & BIPODS

GRIPS & BIPODS



GRADUS / GRADUS FBV / GRADUS AK

Rubberized Ergonomic Pistol Grips

The Gradus pistol grip was created in response to numerous requests by our customers for an ergonomic rubberized grip that will have a relatively straight profile for long range precision shooting and CQB scenarios.

Designed with a 15 degree profile and rigorous attention to ergonomics, for a purposeful grip, enabling a comfortable long range session or an intensive CQB drill // Reinforced polymer core with textured rubber overmold // Designed to relieve pressure on the hand by equally distributing the force applied on the surface of the grip // Available with an AR style beaver tail or in a flat configuration (FBV) //

Compatibility Gradus & Gradus FBV: AR15/M4/M16 receivers; **Compatibility Gradus AK:** AK47 receivers



 **Weight** 104 gr **Width** 36 mm **Height** 114 mm **Length** 55 mm



AGR-43 / AGR-47

Rubberized Ergonomic Pistol Grips

Reinforced polymer composite with multi-textured rubber over-mold // Three different rubber over-molded style textures for superior grip and ventilation // Finger swells and a back-strap shape design provides higher, firmer grip even when wet // Readily accessible storage area with securely sealed hinged door // **Compatibility AGR-43:** M16/M4/AR15 Models **AGR-47:** AK-47 / 74 Variants, AKS-74U 'Krinkov' Variants, Galil Models

No gunsmith required

AGR-43: Weight 145 gr Width 33 mm Height 127 mm Length 83 mm **AGR-47:** Weight 119 gr Width 33 mm Height 109 mm Length 80 mm



AG-43

M16/M4/AR15 Ergonomic Pistol Grip

No gunsmith required

Weight 96 gr **Width** 33 mm **Height** 127 mm **Length** 83



AGF-43S

M16/M4/AR15 Folding Ergonomic Pistol Grip

No gunsmith required

Weight 119 gr **Width** 33 mm **Height** 127mm **Length** 83mm



AG-47

AK-47/74 Ergonomic Pistol Grip

No gunsmith required

Weight 114 gr **Width** 33 mm **Height** 108mm **Length** 83mm



AG-FAL

FN-FAL Ergonomic Pistol Grip

No gunsmith required

Weight 88 gr **Width** 34 mm **Height** 109mm **Length** 80mm



GRADUS-M COMBO

NEW FOR 2021

Rubberized M-LOK® Compatible Short Ergonomic Forward Grip

Mounts directly to M-LOK® handguards // Multitextured rubberized grip allows for superior grip in all weather conditions // Designed specifically for an alternate hybrid “C” grip or use as a stubby foregrip // The reduced grip angle prevents arm & wrist fatigue //

Compatibility: M-LOK® compatible handguards

Products may also be purchased separately

Weight 62 gr Width 32 mm Height 69 mm Length 82 mm



PTK-M & VTS-M NEW FOR 2021

Rubberized M-LOK® Compatible Ergonomic Angled Grip Combo Pack

M-LOK® compatible angled grip and thumb stop, combination // Provides a natural grip positioning for "point & shoot" techniques // Ergonomic design prevents fatigue during prolonged use // Rubberized coating allows for superior grip in all weather conditions // Improves weapon control and maneuverability // Allows versatile positioning for optimal user compatibility // Durable & lightweight rubberized reinforced polymer construction // **Compatibility:** M-LOK® compatible handguards

Products may also be purchased separately

PTK-M Weight 96 gr Width 35 mm Height 57 mm Length 125 mm
VTS-M Weight 20 gr Width 25 mm Height 28 mm Length 45 mm



T-FL QR

Quick Release Tactical 7 Point Folding Foregrip

Easy to fit and secure quick release lever // Versatile foregrip, folds to any of seven angles including horizontal // Enhances natural fighting stance and hold on your rifle // Incorporates a convenient storage compartment // Improved reaction, on-target time and muzzle control during CQB

No gunsmith required
1913 MIL-STD Picatinny compatible

Weight 115 gr **Width** 43 mm **Height** 110 mm **Length** 61 mm



T-FS

Adjustable Side- Folding Foregrip

Adjustable 7 positions side-folding foregrip // Enhances overall weapon handling // Ideal for CQB and various terrain operations // Minimizes front hand exposure while positioned in doorway // Built-in storage compartment for batteries or cleaning kit

No gunsmith required
1913 MIL-STD Picatinny compatible

Weight 112 gr **Width** 45 mm **Height** 113 mm **Length** 51 mm



FGK-S

Folding Foregrip & Trigger Guard

Trigger guard enhances safety by securing loaded chamber carry // Designed for quick and easy operation // Easily fits on firearm and secured on accessory rail with a single bolt // Fits on handgun equipped with a weaver or underside Picatinny rail // A complementary product for the GLR-17/440 Glock stock

No gunsmith required
1913 MIL-STD Picatinny compatible

Weight 104 gr **Width** 42 mm **Height** 38 mm **Length** 153 mm
Deployed: Height 102 mm **Length** 63 mm



T-FL

Tactical 7 Point Folding Foregrip

No gunsmith required
1913 MIL-STD Picatinny compatible

Weight 123 gr **Width** 38 mm **Height** 110 mm **Length** 65 mm



FGG-S

Handgun and Rifle Tactical Folding Foregrip

No gunsmith required
1913 MIL-STD Picatinny compatible
Fits most handguns with underside accessory rail

Weight 151 gr **Width** 44 mm **Height** 71 mm **Length** 139 mm
Deployed: Height 138 mm **Length** 89 mm





PTK VTS COMBO

Ergonomic Pointing Grip Combo Pack

The PTK VTS Combo is a unique combination of a pointing foregrip for ideal posture with an additional thumb lock for secure grip and increased handling // Provides natural grip positioning for point and shoot techniques // Ergonomic design prevents fatigue and Increase long term accuracy // Unique pointing grip and thumb lock combination for secure grip // Improves weapon handling and maneuverability // Maintains natural body stance // Allows versatile positioning for optimal user compatibility // Made of a single piece of extremely durable polymer composite // Provides an additional compartment for cleaning kit or spare battery

No gunsmith required
1913 MIL-STD Picatinny compatible
PTK & VTS are also sold as separate products

Weight 81 gr **Width** 35 mm **Height** 61 mm **Length** 130 mm



REG

Multi Textured Rubberized Foregrip

Unique design with comfortable texture and sleek contour for superior hold // High grade non-slip rubber overmold for use with or without gloves // Enhances overall tactical versatility and performance // Convenient storage compartment for batteries or cleaning kit // Secure mount with durable quick detach bolt locking mechanism // Reinforced polymer composite with high grade rubber overmold

No gunsmith required
1913 MIL-STD Picatinny

Weight 128 gr **Width** 47 mm **Height** 119 mm **Length** 54 mm



RSG

Rubberized Stout Foregrip

Provided with a 31mm/4.37" extension for enhanced grip and versatility // Non slip ergonomic design rubberized foregrip for a superior grip // Extremely durable quick release foregrip with a side picatinny rail or PTT housing // May rotate 180 degrees for ambidextrous use // Stout design, keeps your weapon as compact as possible for CQB // Convenient waterproof storage compartment for batteries or cleaning kit // Reinforced polymer composite with high grade rubber overmold

No gunsmith required
1913 MIL-STD Picatinny

Weight 122 gr **Width** 52 mm **Height** 100 mm **Length** 54 mm

GRIPS & BIPODS



SG-1

AK-47/ 74/ Galil Sniper Pistol Grip

No gunsmith required

Weight 218gr Width 71mm Height 118mm
Length 105 mm Height Deployed 130mm



G-1911

1911 Polymer Grips

No gunsmith required

Weight 26 gr Width 13 mm
Height 103 mm Length 38 mm



WG 1911

1911 Magazine Well Grip

No gunsmith required

Weight 34 gr Width 32 mm
Height 105 mm Length 58 mm

AG-58

SA VZ. 58 Ergonomic
Pistol Grip

No gunsmith required

Weight 113 gr Width 33 mm Height 110 mm Length 83 mm



AGR-870 /
AGM-500
Shotgun Pistol Grips

No gunsmith required

AGR-870 Weight 155 gr Width 44 mm Height 153 mm Length 65 mm
AGM-500 Weight 134 gr Width 47 mm Height 142 mm Length 68 mm



MOJO

Improved Mag-Well
With Replaceable Grips

No gunsmith required

Weight 88 gr Width 49 mm Height 73 mm Length 99 mm



PM-G

Makarov PM Magazine
Release Grip

No gunsmith required

Also available in the PM-G L version for left handed shooters

Weight 72 gr Width 32 mm Height 93 mm Length 77 mm



GRIPS & BIPODS



TAL-4 Tactical Ventilated Foregrip

No gunsmith required
1913 MIL-STD Picatinny compatible

Weight 134 gr Width 40 mm Height 119 mm Length 65 mm



MWG Mag-Well Funnel Foregrip

No gunsmith required

Weight 82 gr Width 45 mm Height 71 mm Length 91 mm



MG-20 Foregrip & Spare Magazine Holder

No gunsmith required
1913 MIL-STD Picatinny compatible

Weight 79 gr Width 33 mm Height 82 mm Length 90 mm



AG-44 S Ergonomic Foregrip

No gunsmith required
1913 MIL-STD Picatinny compatible

Weight 113 gr Width 33 mm Height 116 mm Length 85 mm



SPIKE / SPIKE-M

The New Tactical Bipod

Smart hybrid construction, steel, aluminum and high performance composite polymer

60 Degree pan with spring loaded mechanism

20 Degree cant movement

5 leg positions: 0, 45, 90, 135 & 180 degrees


Height range 180 to 290 mm
(Height measured at the 90 degree leg position)

Rectangle shaped inner legs

Quick pull leg height adjustment

Foot print of 245 to 300 mm

Quick interchangeable feet using no tools





T-POD G2 FA

Combined Foregrip Bipod & Flashlight-Holder

Securely holds any 1" Tailcap activated tactical light // Tailcap thumb activated push on/off button allow easy signal operation // Transforms from Foregrip to fully functional bipod by the push of a button // Legs length can be independently adjusted for uneven terrain // Non-Slip & Sweat, Ventilated Design // Secured with dual quick-release wingnuts // Aviation-grade aluminum, steel, and reinforced polymer composite // Tested to Withstand up to 250 lbs./115kg. When Mounted

No gunsmith required
1913 MIL-STD Picatinny compatible

 **Weight** 345gr **Width** 44mm **Height** 148mm **Length** 135mm



T-POD G2

Rotating Tactical Foregrip Bipod

The uniquely designed T-POD-G2 Rotating Tactical Foregrip & Bipod transforms a foregrip into a fully functional bipod by the push of a button // Quick release mounting mechanism // Legs are milled of 6061-T6 billet, matte black hard coat anodized aluminum // Tested to withstand up to 250 lbs./115kg during operation // Rotating and tilting head mechanism for precision shooting and moving targets // Head features a unique adjustable pressure switch mount // Independent 5 levels leg length adjustment for steady operation on an uneven surface

No gunsmith required
1913 MIL-STD Picatinny compatible

 **Weight** 364 gr **Width** 63 mm **Height** 157 mm **Length** 63 mm
Deployed: Width 155 mm **Height** 211 mm



T-POD G2 QR

Quick Release Tactical Foregrip Bipod

No gunsmith required
1913 MIL-STD Picatinny compatible

 **Weight** 296gr **Width** 44mm **Height** 148mm **Length** 70mm



T-POD G2 SL

Foregrip Bipod With Built-In 3V Tactical Light

No gunsmith required
1913 MIL-STD Picatinny compatible

 **Weight** 390gr **Width** 44mm **Height** 148mm **Length** 155mm

AR/AK PODIUM

Podium Bipod For The AR-15 or AK-47 Platforms

Compact and sleek design with no protruding parts // Rapid deployment mechanism operates by the push of a button // Provides steady and durable bipod platform // Made of light and durable high-end reinforced polymer composite // Saves valuable rail space for additional mounting options // **Models: AR-Podium** The model includes the AGR-43 pistol grip and the Podium bipod **AK-Podium** The model includes the AGR-47 pistol grip and the Podium bipod // **Compatibility: AR-Podium** Fits most M16, M4 and AR15, 5.56x45 variants with a standard lower, without a flared magazine well **AK-Podium** Fits most AK-47/ AKM standard models

No gunsmith required



 **AR-Podium** Net Weight 237 gr  **AK-Podium** Net Weight 216 gr

TAR PODIUM

Quick Deployment Bipod For TAR 21 Models

Compact and sleek design with no protruding parts // Rapid deployment mechanism operates by the push of a button // Provides steady and durable bipod platform // Replaces the grip bottom cap and secured with a single screw // Made of light and durable high-end reinforced polymer composite // Saves valuable rail space for additional mounting options // Designed by Tamir Porat, designer of the Tavor TAR 21 // Compatibility: TAR 21 rifles including CTAR 21 / GTAR 21 and STAR 21

No gunsmith required

Weight 160 gr **Width** 58 mm **Height** 35 mm **Length** 124 mm
Deployed: Width 136 mm **Height** 84 mm




HBA-3

Harris Bipod Polymer Picatinny Adaptor

No gunsmith required
1913 MIL-STD Picatinny

Weight 33 gr **Width** 30 mm **Height** 28 mm **Length** 69 mm



H-POD

Harris Bipod Tilting & Rotating Polymer Picatinny Adaptor

No gunsmith required
1913 MIL-STD Picatinny


Weight 147 gr **Width** 63 mm **Height** 55 mm **Length** 63 mm



RAIL SYSTEMS



RAIL SYSTEMS



VANGUARD AR /AK

M-LOK® Compatible Handguard For The AR Or AK Platforms

The Vanguard is featuring the M-LOK® rail system, in a slim yet durable design, that is optimized for use with our innovative integrated heat shield. Tested to withstand use during automatic fire, the Vanguard is built with the professional user in mind.

M-LOK® compatible handguard accepts direct attachment M-LOK accessories or M-LOK 1913 Picatinny rail sections // Easy installation, no Gunsmith required // **Innovative additional heatshield for proper thermal insulation** // Can be provided with three 1913 M-LOK® Picatinny rail sections in various lengths // Two integrated QD sling swivel sockets // Extremely durable polymer construction //

Compatibility: Vanguard AR: Carbine Length M16 / M4 / AR-15 models & variants without a gas block

Vanguard AK: Standard AK-47/ AKM / AK-74 platforms **Vanguard VZ:** SA VZ.58 rifle






Vanguard AR: Weight 210 gr Width 52 mm Height 53 mm Length 206 mm **Vanguard AK:** Weight 170 gr Width 49 mm Height 68 mm Length 163 mm
Vanguard VZ: Weight 188 gr Width 45 mm Height 70 mm Length 182 mm

VANGUARD 500/870

MOSSBERG 500/REMINGTON 870 M-LOK® HANDGUARD

Enables three sections of M-LOK® mounting, for the secure attachment of compatible accessories //

Durable and lightweight fiberglass reinforced polymer construction // Provides the appropriate thermal isolation



Vanguard 500: Weight 162 gr Width 54 mm Height 53 mm Length 203 mm
Vanguard 870: Weight 156 gr Width 55 mm Height 51 mm Length 178 mm



VFR-SVD

Dragunov Sniper Rifle Aluminum Quad-Rail System

Precision machined 6061 T6 Billet hard anodized aluminum for maximum strength // Enables four picatinny rails for secure mounting of optics and accessories // Quick and easy installation // Replaces the original handguard, firmly secured on the rifle with 4 bolts // Tested under extreme conditions, maintains zero-retention // Allow use of the original sights when no optics are mounted

No gunsmith required
1913 MIL-STD Picatinny rails system

Weight 320 gr Width 55 mm Height 73 mm Length 234 mm

SVDM

Dragunov Sniper Rifle Scope Mount

Precision machined from 6061 T6 Billet aluminum for maximum strength // Securely locks to the accessory rail with manually adjustable pressure mechanism // 1913 MIL-STD picatinny rail allow use of scopes, night vision or reflex sights // Allow rapid mount / dismount of optics on the SVD (Dragunov Sniper Rifle)

No gunsmith required
1913 MIL-STD Picatinny rail system

Weight 191 gr Width 47 mm Height 83 mm Length 160 mm



VFR-AK

AK-47 Full Length Aluminum Quad-Rail System

Full length upper rail allow optimal use of scopes, night vision or reflex sights // Precision machined 6061 T6 Billet hard anodized aluminum for maximum strength // Four 1913 MIL-STD picatinny rails allow installation of any picatinny based accessory // Replaces the original handguard and bolted on the rifle // Tested Under extreme conditions, maintains zero-retention // Unique design allows use of the original sights when optics are not mounted

No gunsmith required
1913 MIL-STD Picatinny rails system

Weight 590 gr Width 57 mm Height 85 mm Length 336 mm



PRG

Galil Polymer Quad-Rail System

Enables four picatinny rails for secure mounting of optics and accessories // Secure attach for your optical sights and lasers // Durable and lightweight fiberglass reinforced polymer construction // Provides appropriate thermal isolation and dissipation

No gunsmith required
1913 MIL-STD Picatinny rails system

Weight 245 gr Width 60 mm Height 83 mm Length 178 mm



PDC

Innovative AK/AKM Picatinny Scope Mount Dust Cover

The PDC is an aluminum replacement dust cover with milled picatinny scope mount for the AK/AKM assault rifles. It provides a steady and secure mounting platform for any picatinny based optics on the AK with quick and easy drop in installation // Provides a total of 185mm in free picatinny rail space // PDC is firmly secured to the receiver with a unique, manual adjustment retention mechanism // Keeps original iron sights operational // Manufactured from milled 6061 T6 aluminum and steel for optimal strength // Matt black hard coat anodized aluminum parts for wear resistance // Compatibility: AK/AKM rifles and most variants

No gunsmith required
1913 MIL-STD Picatinny rails system

Weight 194 gr **Width** 39 mm **Height** 42 mm **Length** 246 mm



M1

M-LOK Mounting Picatinny Rail



M2

M-LOK Mounting Picatinny Rail



M3

M-LOK Mounting Picatinny Rail



AK-47

AK-47 Polymer Quad Rail Handguard



KPR

AKS-74U Polymer Quad Rail Handguard



SA-58

SA VZ.58 Polymer Quad Rail Handguard

Enables four picatinny rails for secure mounting of optics and accessories // Durable and lightweight fiberglass reinforced polymer construction // Provides appropriate thermal isolation and heat dissipation

No gunsmith required
1913 MIL-STD Picatinny rails system

Weight 183 gr **Width** 61 mm
Height 81 mm **Length** 166 mm

No gunsmith required
1913 MIL-STD Picatinny rails system

Weight 182 gr **Width** 67 mm
Height 86 mm **Length** 139 mm

No gunsmith required
1913 MIL-STD Picatinny rails system

Weight 188 gr **Width** 60 mm
Height 80 mm **Length** 183 mm



NFR-M5

Mid Length Aluminum Quad-Rail System

No gunsmith required, 1913 MIL-STD Picatinny rails system

■ **Weight** 380 gr **Width** 55 mm **Height** 60 mm **Length** 231 mm



NFR-RL

Rifle Length Aluminum Quad-Rail System

No gunsmith required, 1913 MIL-STD Picatinny rails system

■ **Weight** 534 gr **Width** 55 mm **Height** 60 mm **Length** 315 mm




VFR-VZ

SA VZ.58 Aluminum Quad-Rail System

No gunsmith required, 1913 MIL-STD Picatinny rails system

■ **Weight** 320 gr **Width** 55 mm **Height** 73 mm **Length** 234 mm



VFR-GA

Galil Aluminum Quad-Rail System

No gunsmith required, 1913 MIL-STD Picatinny rails system

■ **Weight** 459 gr **Width** 53 mm **Height** 88 mm **Length** 352 mm



NFR / NFR-EX

Carbine Length / Extended Aluminum Quad-Rail System

Precision machined from 6061 T6 Billet aluminum for maximum durability // Rugged construction will not bend or deform under any condition // Field tested under extreme conditions for maximum performance // Rail system firmly locks to the barrel nut and over the front handguard cap // Slim profile for better grip and firearm handling // **Compatibility:** **NFR:** Carbine Length M16, M4, AR-15 models and variants **NFR-EX:** Carbine Length M16, M4, AR-15 models and variants with a barrel length of 14" or longer and without a gas block

No gunsmith required
1913 MIL-STD Picatinny rails system

■ **NFR:** **Weight** 297 gr **Width** 55 mm **Height** 60 mm **Length** 177 mm **NFR-EX:** **Weight** 442 gr **Width** 55 mm **Height** 60 mm **Length** 317 mm



MP5/MP5K/G3 RS

Heckler & Koch Rail Systems

Precision machined from 6061 T6 Billet aluminum for maximum strength // Matte black hard anodized Coating for wear resistance // Three 1913 MIL-STD picatinny rails allow installation of any picatinny based accessory // Durable and light weight design, tested successfully under extreme conditions to provide the best performance possible

No gunsmith required
1913 MIL-STD Picatinny rails system

MP5-RS: Weight 172 gr Width 50 mm Height 47 mm Length 155 mm
MP5K-RS: Weight 126 gr Width 51 mm Height 46 mm Length 108 mm
G3-RS: Weight 326 gr Width 48 mm Height 44 mm Length 342 mm



MP5/G3 SM

Heckler & Koch Scope Mounts

Tight and secure attachment // Provides a superior sight mount solution // Four bolts provide steady sight mount stability // 1913 MIL-STD Picatinny rail // Milled of 6061 T6 Billet aluminum

No gunsmith required
1913 MIL-STD Picatinny rails system

MP5-SM: Weight 75 gr Width 43 mm Height 25 mm Length 135 mm
G3-SM: Weight 98 gr Width 42 mm Height 26 mm Length 185 mm

GIS / USM

Glock Polymer Scope Mount / Handgun Universal Aluminum Scope Mount

Accepts all picatinny based reflex sights // Original sights remain functional // Adds a front accessory rail in place of the original one in use // **GIS:** Mounted on to the accessory rail and bolted on to the provided trigger pin **USM:** Mounted on to the accessory rail and secured with one bolt // **GIS:** Made of durable and lightweight fiberglass reinforced polymer composite **USM:** Milled of 6061 T6 Billet aluminum matte black anodized // **Compatibility:** **USM:** All handguns with underside accessory rail in a minimum length of 45mm long (Picatinny or weaver) and up to 28mm in slide and body width and up to 48mm in slide height **GIS:** All GLOCK® models with accessory rail

No gunsmith required
1913 MIL-STD Picatinny rail system



GIS: Weight 56 gr Width 36 mm Height 70 mm Length 110 mm **USM:** Weight 80 gr Width 40 mm Height 68 mm Length 102 mm

RAIL SYSTEMS

BM-4

Benelli M4 Quad Rail Handguard

No gunsmith required
1913 MIL-STD Picatinny rails system

■ ■ ■ ■ Weight 305 gr Width 65 mm Height 86 mm Length 200 mm



HG-S

Carbine Length Polymer Handguard

No gunsmith required

■ Weight 138 gr Width 54 mm Height 57 mm Length 170 mm



UPR 16/4

M4 Picatinny Under-Rail

No gunsmith required
1913 MIL-STD Picatinny rails system

■ ■ ■ ■ Weight 46 gr Width 21 mm Height 16 mm Length 155 mm



DPR 16/4

Double Accessory Rail

No gunsmith required

■ ■ ■ ■ Weight 47 gr Width 62 mm Height 21 mm Length 64 mm



FLASHLIGHTS & MOUNTS

FLASHLIGHTS & MOUNTS






SPEEDLIGHT G2 3V

2nd Gen 1" Tactical Flashlight

Durable and robust flashlight, designed specifically for use as a firearms accessory, can be used on handguns, rifles and shotguns // 1 inch in diameter // Made of 6061 T6 Billet aluminum casing for optimal durability // Matte black hard coat anodized for wear resistance // Provided with the SPL-C tactical cover // Main body with grip enhancing texture for optimal handling // Pressure activated tactical on/off tailcap // Powered by a single CR123 battery




Weight 69 gr Diameter 25 Length 87 mm



SPEEDLIGHT G2 6V

2nd Gen 1" 6V Led Tactical Flashlight

Durable and robust flashlight, designed specifically for use as a firearms accessory, can be used on handguns, rifles and shotguns // 1 inch in diameter // Made of 6061 T6 Billet aluminum casing for optimal durability // Matte black hard coat anodized for wear resistance // Provided with the SPL-C tactical cover // Main body with grip enhancing texture for optimal handling // Pressure activated tactical on/off tailcap // Powered by two CR123 batteries



Weight 93 gr Diameter 25 Length 121 mm



PLR

Adjustable Flashlight Mount

Designed to securely hold a 1" tactical flashlight or laser // Rotating light mount, can be adjusted by instantly for the correct light position needed // Allow ideal Tailcap access for optimal operation // Allow versatile mounting options for use with accessories // Quick release mechanism // Secure bolt locking system for mounted device // Durable and lightweight fiberglass reinforced polymer composite

1913 MIL-STD Picatinny compatible

Weight 72 gr Width 39 mm Height 71 mm Length 56 mm



PLS

Flashlight Side Mount

Designed to securely hold a 1" tactical flashlight or laser // Allow Tailcap access for optimal operation // Made for ideal use in conjunction with a foregrip // Quick release mechanism // Secure bolt locking system for mounted device // Durable and lightweight fiberglass reinforced polymer composite

1913 MIL-STD Picatinny compatible

Weight 55 gr Width 68 mm Height 36 mm Length 52 mm



PLG Handgun Flashlight Mount

Designed to hold a 1" flashlight // Secure bolt locking mechanism for the mounted device // Manual quick release mechanism for fast adapt or remove // Allow flashlight to be quickly mounted in time of need // Tough rigid and lightweight reinforced polymer design // Allow ideal Tailcap access for handgun operation // Fits on Glock and most handgun accessory rails

No gunsmith required

Weight 54 gr Width 36 mm Height 36 mm Length 64 mm



T-GRIP / T-GRIP R Integrated Foregrip And Flashlight Mount

Ergonomic foregrip incorporating a 1" flashlight mount // Built-in flashlight activation switch for natural and fast activation // Safety switch prevents accidental activation // Quick and easy installation, secured with 2 bolts // Durable and lightweight fiberglass reinforced polymer composite


No gunsmith required
1913 MIL-STD Picatinny compatible

Weight 200 gr Width 37 mm Height 126 mm Length 148 mm

PR-3 G2 2nd Gen Tactical Flashlight W/Integrated Picatinny Mount



Durable and robust flashlight, designed specifically for use as a firearms accessory, can be used on handguns, rifles and shotguns // Built-in quick release 1913 MIL-STD picatinny mount // Made of 6061 T6 Billet aluminum casing // Matte black hard coat anodized for wear resistance // Provided with the SPL-C tactical cover // Pressure activated tactical on/off tailcap // Powered by one CR123 battery



Weight 96 gr Width 42 mm Height 36 mm Length 93 mm

PLA Flashlight and Laser Adaptor

Designed to securely hold a flashlights or laser device // Allow natural Tailcap access for optimal operation // Quick release mechanism // Secure bolt locking system for mounted device // Durable and lightweight fiberglass reinforced polymer composite

1913 MIL-STD Picatinny compatible
Available sizes: 3/4", 1", or 1.125" in diameter

Weight 51 gr Width 36 mm Height 52 mm Length 68 mm

MAGAZINES & ACCESSORIES

MAGAZINES & ACCESSORIES





ULTIMAG AK 10R / 30R

AK-47 Polymer Magazine 10R or 30R

Highly reliable construction, built to last // Allows for bolt lock back, on the last round // Ergonomic design made for enhanced grip and faster magazine change // Over-travel protection and tilt proof low-friction follower for increased reliability // Long-lasting cataphoresis-coated steel spring for ideal corrosion resistance & durability // Disassembly by hand, no tools needed // Durable & lightweight, reinforced polymer body // **Compatibility:** AR15/M4/M16 5.56x45 NATO magwells




Ultimag AK 10R: Weight 105 gr Width 32 mm Height 107 mm Length 73 mm
Ultimag AK 30R: Weight 156 gr Width 35 mm Height 214 mm Length 81 mm



ULTIMAG 10R / 30R

AR15/M4/M16 Polymer Magazine 10R or 30R

Highly reliable construction, built to last // Allows for bolt lock back, on the last round // Ergonomic design made for enhanced grip and faster magazine change // Over-travel protection and tilt proof low-friction follower for increased reliability // Long-lasting cataphoresis-coated steel spring for ideal corrosion resistance & durability // Disassembly by hand, no tools needed // Durable & lightweight, reinforced polymer body // **Compatibility:** 7.62x39, AK rifle




Ultimag 10R: Weight 100 gr Width 29 mm Height 94 mm Length 72 mm
Ultimag 30R: Weight 131 gr Width 23 mm Height 193 mm Length 72 mm



ULTIMAG VZ 10R / 30R

SA VZ.58 Polymer Magazine 10R or 30R

Highly reliable construction, built to last // Allows for bolt lock back, on the last round // Ergonomic design made for enhanced grip and faster magazine change // Over-travel protection and tilt proof low-friction follower for increased reliability // Long-lasting cataphoresis-coated steel spring for ideal corrosion resistance & durability // Disassembly by hand, no tools needed // Durable & lightweight, reinforced polymer body // **Compatibility:** 7.62x39, VZ. 58 rifle

Ultimag VZ 10R: Weight 120 gr
Ultimag VZ 30R: Weight 163 gr Width 27 mm Height 220 mm Length 90 mm



OMC KIT

Ultimag 10R Dual Magazine Kit

Highly ergonomic design // Durable fiberglass reinforced polymer construction // Maintains 10 cartridges limitation // External coupler - does not replace magazine floor plate // The OMC and PMC are also available with 5 round magazines // 5.56x45 NATO (.223 Remington) M16/M4/AR15 compatible

OMC coupler and two Ultimag 10R magazines
 OMC coupler is also available separately

Weight 211 gr **Width** 30 mm **Height** 205 mm **Length** 79 mm



PMC KIT

Ultimag 10R Pentagon Magazine Kit

PMC coupler and five Ultimag 10R magazines
 PMC coupler is also available separately

Weight 520 gr **Width** 210 mm **Height** 210 mm **Length** 77 mm



43-10 / 42-10

+4 Magazine Extensions For The Glock G43/G42

+ 4 rounds for a total of 10 rounds in the magazine! // Enables a full grip on the handgun // Contoured finger indents for a firm grip during magazine manipulation // Innovative spring plate allows the use of the original magazine spring // Fiberglass reinforced polymer construction // Compatibility: 43-10 Glock G43 – Factory magazines only. 42-10 Glock G42 – Factory magazines only.

Weight 37 gr

No gunsmith required



MPS-12

+4 Magazine Extension For The M&P®9 SHIELD™

+ 4 rounds for a total of 12 rounds in the magazine! // Innovative spring plate design, allows for the use of the original magazine spring // Enables a full grip on the handgun // Contoured finger indents for a firm grip during magazine manipulation // Easy installation // Fiberglass reinforced polymer construction // Compatibility: 8 Round, S&W® M&P®9 SHIELD™ - original factory extend capacity (8 round) magazine only!

Weight 39 gr

No gunsmith required





UC

Ultimag Magazine Coupler

Designed specifically for the Ultimag 30R // Facilitates swift magazine change // Enables setting the magazines in parallel or offset order, according to individual preferences // Durable and Light-Weight fiberglass reinforced polymer construction // Compatibility: Ultimag 30R/ Smart Load, magazines only

■ Weight 82 gr



MCE

Polymer & Material Strips Magazine Coupler

■ Weight 60 gr



TZ-2

Polymer Magazine Coupler

■ Weight 78 gr Width 25 mm
Height 76 mm Length 61 mm



TZ-M4

M4 Magazine Coupler

■ Weight 93 gr Width 65 mm
Height 107 mm Length 75 mm



TZ-M9

9mm Tavor Magazine Coupler

■ Weight 70 gr Width 59 mm
Height 25 mm Length 46 mm



TZ-5

9mm/MP5 Magazine Coupler

■ Weight 50 gr Width 70 mm
Height 52 mm Length 45 mm



5.56 POUCH

M4 Magazine Belt Pouch

■ Weight 84 gr Width 46 mm
Height 77 mm Length 111 mm

SH-5

12 Gauge Shotgun Shells Holder

1913 MIL-STD picatinny compatible
Conveniently keeps 5 extra shells close by for swift reload

■ **Weight** 85 gr **Width** 38 mm **Height** 60 mm **Length** 118 mm



SH-6

20 Gauge Shotgun Shells Holder

1913 MIL-STD picatinny compatible
Conveniently keeps 6 extra shells close by for swift reload

■ **Weight** 66 gr **Width** 29 mm **Height** 46 mm **Length** 123 mm



MH 5.56/.223

Vertical M16/M4/AR15 Magazine Carrier

■ ■ ■ **Weight** 74 gr **Width** 58 mm **Height** 138 mm **Length** 75 mm



MTH

Horizontal M4 Magazine Carrier

■ ■ ■ **Weight** 81 gr **Width** 31 mm **Height** 150 mm **Length** 95 mm



SPD

Speed Pull Add On For Ultimags

Pack of 2
Compatible with Ultimag 30R / 10R & Ultimag AK 30R

■ **Weight** 11 gr



PARTS & UPGRADES

PARTS & UPGRADES





FRBS OFFSET KIT

Offset Folding Backup Sights Kit

Designed as a back-up sighting solution for use in conjunction with magnification lenses during CQB scenarios // Sleek design with minimal protruding parts // No tools needed for a quick and easy elevation and wind adjustment // RBS – Rear Back-up sight can be manually adjusted for windage // FBS – Front Back-up sight can be manually adjusted for elevation // Available in both right and left side variations // Durable fiberglass reinforced polymer and metal construction // **Compatibility:** Picatinny Rail mounting systems **Note: The offset FBS should never be mounted on a railed gas block

 **Weight** 59 gr **Width** 57 mm **Height** 26 mm **Length** 51 mm
Deployed: **Width** 68 mm **Height** 44 mm **Length** 23 mm



RBS

Rear Back-Up Sight

Can be used as primary or back-up sight // Low folded profile is smooth and inconspicuous, and will not snag on gear, webbing, or brush // Instant spring-locked deployment mechanism will not slip, break or deform // No tools needed for easy, rapid sight adjustments, with positive detent locking // Made of extremely durable high-grade polymer and metal // **Compatibility:** All 1913 Picatinny rails

Dual apertures are 3mm for longer eye relief mounting, low light, and faster target acquisition; and 1.5mm for shorter eye relief mounting and greater accuracy; each is instantly selectable to match conditions

 **Weight** 30 gr **Width** 32 mm **Height** 14 mm **Length** 52 mm
Deployed: **Height** 42 mm **Length** 30 mm



FBS

Front Back-Up Sight

Ergonomic angel-wing-shaped front shroud helps center the image with any rear sight, but when used with a matching FAB Defense® RBS Rear Back-up Sight, it creates a precise optical tunnel that ensures more accurate aiming and faster target acquisition

 **Weight** 25 gr **Width** 32 mm **Height** 14 mm **Length** 52 mm
Deployed: **Height** 42 mm **Length** 30 mm





BUNGEE

One Point Tactical Sling

Securely attaches to any single sling port // Enables rapid and effective operation // Suitable for use with main or secondary weapon // Designed for front chest & shoulder ready carry // Allows concealed & compact SBR carry under a jacket // Heavy duty flexible cord allows weapon to be instantly extended to firing position // Quick-release heavy duty buckle with additional safety port

■ ■ ■ Weight 169 gr Width 30 mm Length 600 mm



SL-1 / SL-2

Tactical Sling Solutions

■ SL-1: Weight 149 gr Width 50 mm Length 970 mm
■ SL-2: Weight 147 gr Width 50 mm Length 890 mm



RC

Picatinny Rail Covers

■ ■ ■ Weight 83 gr Width 38 mm Height 14 mm Length 146 mm

SLA

Aluminum Sling Picatinny Attachment

1913 MIL-STD Picatinny compatible

■ Weight 12 gr Width 34 mm Height 20 mm Length 13 mm



SLS

QD Sling Swivel Attachment

Mounts to any FAB-Defense® Quick Detach (QD) swivel sockets

■ Weight 24 gr Width 20 mm Height 15 mm Length 16 mm



PSA

QD Picatinny Sling Swivel Attachment

Incorporates a durable SLS Quick Detach (QD) sling swivel
1913 MIL-STD Picatinny compatible

■ Weight 40 gr Width 20 mm Height 32 mm Length 16 mm



SELF DEFENSE, TRAINING & SAFETY PRODUCTS



KOBOTAN

Pressure Point Force-Multiplier

■ Weight 18 gr Diameter 17 Length 130 mm



BABY TONFA

Pressure Point Force-Multiplier

■ Weight 18 gr Width 17 mm Height 45 mm Length 151 mm



KARAMBIT

Polymer Training
Karambit

■ Weight 37 gr Width 16 mm Height 72 mm Length 160 mm



FCP

Pressure Point
Restraining Tool

■ Weight 42 gr Width 9 mm Height 150 mm Length 62 mm



TKN

Rubber Training Knives

■ ■ ■ Weight 120 gr Width 57 mm Height 26 mm Length 300 mm



LO

Letter Opener

■ ■ ■ Weight 30 gr Width 34 mm Height 22 mm Length 205 mm



HXB

Hybrid Polymer & Steel Expandable Baton

Shafts are molded from fiberglass reinforced polymer composite, with the last shaft reinforced by a steel Insert with a steel tip // The hybrid structure of steel and polymer ensures a durable and lightweight baton // The corrosion resistant and flexible tubular shafts provides a whip like stroke // Rubberized non-slip grip over-mold for ultimate performance // Three separate sections expand to a length of 22in/56cm by a flick of the wrist // Securely locked in once expanded and retracts by tapping the tip on a hard surface // Belt or MOLLE compatible ballistic nylon pouch included

Weight 263 gr **Width** 38 mm **Length** 237 mm **Length (open)** 575 mm



GSCA 3 / GSCA 4

Safety Cord Attachment For Glock

Provides a secure attachment platform for any pistol safety cord // Greatly improves the default Glock cord attachment option // Fiberglass reinforced polymer construction // **Compatibility GSCA-3:** Glock 17, 17L, 19, 22, 23, 24, 31, 32, 34, 35 Gen3 and older with existing Glock safety cord hole **GSCA-4:** Glock 17, 19, 22, 23, 31, 32, 34, 35, generation 4 only!

Weight 7 gr

7.62x39	19"/480mm
5.56x45	20"
	16.5"
	13.5"
9x19	16.5"/425mm
	10.5"/268mm
	5"/125mm
.22	4.5"/112mm

SAFETY RODS

Polymer Safety Rod

Our large selection of Safety Rods for 9mm / 5.56x45 / 7.62x39 offer a perfect high visibility safety solution for training and for storage // The rod securely blocks the barrel and chamber, preventing the chambering of a live round // Extended length over the flash hider and bright red colored for enhanced visibility // Highly efficient safety tool while performing dry fire drills

- 7.62x39** - 19"/480mm (AK-47), **Weight** 20 gr
- 5.56x45** - 20"/515mm (Rifle), **Weight** 13 gr
- 5.56x45** - 16.5"/425mm (Carbine), **Weight** 11 gr
- 5.56x45** - 13.5"/340mm (Commando), **Weight** 9 gr
- 9X19** - 16.5"/425mm (Tavor), **Weight** 21 gr
- 9x19** - 10.5"/268mm (MP5/UZI), **Weight** 13 gr
- 9x19** - 5"/125mm (Pistol), **Weight** 6 gr
- .22** - 4.5"/112mm (Pistol), **Weight** 2 gr



PDA 9 / PDA 5.56

Practice 9mm / 5.56x45 Ammunition


Weight 3 gr

SCORPUS®

A person wearing a black balaclava, a dark t-shirt, a tactical vest, and blue jeans stands in profile against a concrete wall. They are holding a black rifle with both hands. A handgun is holstered on their right thigh. The scene is brightly lit, casting a shadow of the person and the rifle onto the wall to the left. The ground is rocky and uneven.

SCORPUS® HANDGUN HOLSTERS

COMMON FEATURES OF THE SCORPUS® OUTSIDE THE WAISTBAND HOLSTERS



Anti-rattle pressure tab
for tight and secure fit

Special finger channel
design, keeps index
finger safely positioned
during draw

The Scopus®
Retention System

Excellent handgun protection in
a slim and streamlined design

Durable reinforced
polymer construction

Scopus® M1/M24/MX/MTR support the following firearms:

Glock 17, 19, 20, 21, 22, 23, 26, 27, 29, 30, 31, 32, 33, 34, 35, 41, 43 // SIG SAUER P226 models excluding the MK 25 models // S&W M&P 9/.40 full frame and Pro models // H&K USP 9mm/.40/.45 Full-size and compact models // Makarov PM // Jericho full frame 9mm / .40 Steel and Polymer models // 1911 5" Barrel, including Colt government models railed and non-railed // CZ 75 SP-01 Shadow





THE SCORPUS® RETENTION SYSTEM

Two separate retention mechanisms lock automatically and ensure secure handgun retention, without sacrificing ease of deployment and use.

SCORPUS® LEVEL 1 HOLSTER

Features two separate opposing passive retention devices that capture the trigger guard of the handgun automatically and are pressure activated. To draw the handgun, the operator must firmly hold the grip and then perform a clean draw.





A - Passive Retention Catch
B - Passive Retention Catch

SCORPUS® LEVEL 2 HOLSTER

Formally known as the R models (Retention)

Features two separate opposing retention devices that automatically capture the trigger guard of the handgun—one pressure activated locking lever and one spring based retention device. This combined system ensures that even when the locking lever is deactivated by the operator, the handgun is still held by the spring based retention device. To draw the handgun, the operator must firmly hold the grip, push on the pressure activated locking lever and then perform a clean draw.



C - Pressure Activated Locking Lever
D - Passive Retention Catch



SCORPUS® M24

Developed for a special LE agency in Israel the M24 is our newest OWB holster configuration! // Fixed 24 degree cant that enables comfortable drawing of the weapon while in a sitting or standing position // Fixed belt adapter enables a slimmer design, placing the gun closer to the body // Supports a new, wider belt loop design for easy threading, fits belt sizes- 33-58 mm (1.2"-2.2") // Available in both Scorpion® Level 1 or Scorpion® Level 2 configurations // Holster supplied with a non-interchangeable belt adapter configuration, a Paddle or Belt Loop // Available for Right Hand or Left Hand configuration



SCORPUS® M1

Holster supplied with two interchangeable belt adapters; Paddle and Belt Loop // A secure 20 degree Cant adjustment option for both belt adapters // Belt Loop adjustable to fit wide variety of belts, 34-72 mm (1.3"-2.8") // Available in both Scorpion® Level 1 or Scorpion® Level 2 configurations // Available for Right Hand or Left Hand configuration





SCORPUS® MTR

Wide rig, for optimal comfort and stability // Sold with two belt attachment options, single point or two points // Single point belt loop offers a wide belt loop with quick release swivel for a full range of mobility // Two points attachment offers two attachment straps with quick release buckles // Innovative leg strap design allows for flexibility during movement while still maintaining the desired stability and fit of the rig // Wide leg straps with rubberized interior including quick release swivel buckles // The Scorpus® Level 2 Retention System - Featuring two separate mechanisms, for truly secure hand gun retention // Available for Right Hand or Left Hand configuration



SCORPUS® MX

Holster supplied with three interchangeable belt adapters; MOLLE, Paddle and Belt-Loop // Features a 360 degree Swivel adapter for endless Cant adjustment option // Available in Scorpus® Level 2 configuration only // Available for Right Hand or Left Hand configuration

Formally known as the SR models





Replaceable belt clip, allows shirt to be tucked for optimal deep concealment (provided with two clips, for 1.5" and 1.75" belts with a fixed 10 degree Cant, on Covert G9 and 5 degree Cant on Covert G43)

Removable Covert Spacer for additional concealment

Adjustable retention mechanism

Innovative design and materials for the slimmest holster possible

Ergonomic rounded sweat guard with integrated "combat cut"

SCORPUS® COVERT

Scorpus IWB Holster

Special slim design for the thinnest IWB holster possible // Thin & flexible profile, average material thickness of 1.9 mm (0.07 inch) // Adjustable passive retention // Ergonomic rounded sweat guard with integrated "combat cut" // Replaceable belt clip for 1.5 and 1.75 Inch belts // Removable Covert Spacer for additional concealment // Available for Right Hand or Left Hand configuration (Covert G43 is currently available for Right Hand configuration only) // A single **Covert G-9** holster will fit all of the following handguns: **Glock:** 17, 19, 19X, 22, 23, 26, 27, 31, 32, 33 & 45 **CZ:** P-10 C **H&K:** VP9 **Walther:** P99 **FN:** FNS-9, FNS-9 Compact **Ruger:** SR40 **Grand Power:** K100, T12 **Schmeisser:** SLP-9 **FMK:** 9C1 G2.

The **Covert G43** holster will fit the Glock G43 only.

Inside the waistband



QL-9

Single Magazine Pouch & Integrated Quick Loader

QL-9 is a compact combination of a single magazine pouch with a quick loader, the perfect solution for the sport shooter on the go.

Slim & compact design, optimized for a quick draw action // Integrated quick loader // Adjustable magazine retention // Available in three mounting versions – clip, paddle & belt // Manufactured from lightweight fiberglass reinforced polymer composite // **Compatibility:** Fits both polymer & steel, 9mm / .40 S&W double stack magazines



DOUBLE MAGAZINE POUCHES

Allows quick draw action for optimal performance

Slim and compact design for close carry

Innovative 8 levels of manually adjustable magazine retention

Provides excellent magazine protection

Anti-rattle pressure tab for tight and secure fit

Durable fiberglass reinforced polymer composite

Provided with one belt loop and one paddle in the kit

Also available with a 360 adjustable swivel and the Mollex adapter in the 'S' type

Paddle features a 20 degree angle adjustment option

PS-9

For Steel Double Stack 9MM/.40 Magazines



Weight 117 gr Width 37 mm Height 87 mm Length 96 mm

PG-9

For Glock Double Stack 9MM/.40 Magazines



Weight 121 gr Width 40 mm Height 86 mm Length 97 mm

RPR

Rotating Picatinny Rail Mounts

The RPR line of products enables the operator to attach any 1913 picatinny supporting accessory to a duty belt or a MOLLE load bearing equipment:



RPR MOLLE

Rotating Picatinny
Rail For MOLLE

Weight 47 gr Width 100 mm
Height 20 mm Length 89 mm



RPR BELT

Rotating Picatinny
Rail With Belt Loop

Weight 70 gr Width 71 mm
Height 40 mm Length 81 mm



RPR PADDLE

Rotating Picatinny
Rail With Paddle

Weight 66 gr Width 94 mm
Height 23 mm Length 111 mm

PS-MAKAROV

For Makarov PM
Magazines



Weight 105 gr Width 29 mm Height 84 mm Length 86 mm

PS1911

For Single Stack
1911 .45/10MM
Magazines



Weight 115 gr Width 31 mm Height 85 mm Length 99 mm

PG.45

For Double Stack
Glock .45/10MM
Magazines



Weight 130 gr Width 40 mm Height 98 mm Length 105 mm

PS.45

For Double Stack
Steel .45/10MM
Magazines



Weight 131 gr Width 40 mm Height 98 mm Length 105 mm

SHOOTING PLATFORMS

SHOOTING
PLATFORMS



MANTIS

Lightweight Sniper Platform Kit


Lightweight and simple for use, the Mantis offers a stable and rigid shooting platform that can adapt to any modern combat environment, for long deployments in the field or a fast CQB engagement.

Developed as an evolution of our TSB the Mantis was designed to meet the challenges of the modern infantry and Special Forces sniper teams, the rugged & lightweight construction will fit infantry and LRRP missions, where weight is a crucial factor.

The Mantis is already in use by military units globally.

Lightweight, rugged and simple for use // Offers a stable and rigid shooting platform that can adapt to any modern combat environment // Enables a "Prone-Like" stability, while standing or sitting // Developed to meet the challenges of the modern infantry and Special Forces sniper teams // Designed for long period Sniping engagements // Quick and easy to deploy // Lightweight, Table weigh at 1.6 Kg only // Adjustable for left handed and right handed snipers, and for a wide variety of sniper rifles // Sold with a designated tripod as a complete sniping solution // Offered with Aluminum or Carbon Fiber tripods // Approved U.S patent // The TSB and Mantis are developed in conjunction with Zikitec LTD.

■ **Table Weight** 1.6 kg **Total Kit Weight** 4.3 kg including Carbon Fiber tripod



SHOOTING PLATFORMS




TSB

Tactical Sniper Bench Kit

Enables a "Prone-Like" stability, while standing or sitting // Developed to meet the challenges of the urban Special Forces & Counter-Terrorist units // Designed for long period sniping engagements // Modular system, accepts special camouflage kits and accessories (sold as separate product) // Lightweight, quick and easy to deploy // Adjustable for left handed and right handed shooters, and for a wide variety of sniper rifles // Sold with a designated tripod as a complete sniping solution



■ Table Weight 2.85 kg Total Kit Weight 5.55 kg



SPECIAL ORDER PRODUCTS

The following products are available for order with a minimum quantity only.
Please contact us directly for specific quantity, pricing, and availability.



UPT

TAR-21 Picatinny Rail



SIG-551 SM

SIG-SAUER 551 Scope Mount



VFR-RPK

RPK Aluminum Quad-Rail System



GX-6

Micro Galil
Aluminum Quad-Rail System



UTR

Uzi Aluminum Rail System



UTR-M

Mini Uzi Aluminum Rail System



PR-MO / PR-870

Mossberg 500 /
Remington 870 Tri Rail Handguard



MJPR

Aluminum Accessory
Rail for Steel Jericho

SPECIAL ORDER PRODUCTS



SIG 226 PR

SIG 226 Accessory Rail



BR92 - PR

Beretta 92 Picatinny Rail



FGR-3

Carbine Length Polymer
Tri-Rail Handguard



SBS

M4 Bayonet
Dual Picatinny Mount



BSR-1

Barrel
Single Rail



BDR-2

Barrel Double Rail



MIKI

Combined Angled
Foregrip And Flashlight Mount



FFGS-1

Folding Foregrip
And Flashlight

SPECIAL ORDER PRODUCTS



FFA-T4

Two-Position Foregrip
and Flashlight Mount



FFA

Folding Foregrip
and Stinger Led Flashlight Mount



FD-203

M203 Standalone Conversion Kit



TPM

Trijicon Picatinny Mount



BUC

Blank Bullet Trap Firing Adaptor



TS-BB

Tactical 9mm Barrel Blocker



G-CLAMP

Multiple Purpose Forensics/EOD/
HAZMAT Polymer Pliers



www.fab-defense.com

19 HaMiktsoot Blvd, Modi'in 7178126, Israel
Phone: +972-3-960-3399 | Fax: +972-3-9603312

